

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of	)	Attorney Docket No.: <b>KITAMU0003</b>
	)	
Toru YAMADA et al.	)	Confirmation No.: 8335
	)	
Serial No.: 10/549,457	)	Group Art Unit: 3713
	)	
Filed: September 14, 2005	)	Examiner: Unassigned
	)	
For: PUTTING STROKE ANALYZER AND	)	Date: April 2, 2008
PUTTER FOR USE THEREIN	)	

**STATUS INQUIRY**


U.S. Patent and Trademark Office  
Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

The above-identified application was filed by the applicants on September 14, 2005, and to date no action has been taken by an Examiner. In view of the lapse of time from the filing of this application, the undersigned inquires as to the status of the same.

Respectfully submitted,

GRIFFIN & SZIPL, PC

  
\_\_\_\_\_  
Joerg-Uwe Szimpl  
Registration No. 31,799

GRIFFIN & SZIPL, PC  
Suite PH-1  
2300 Ninth Street, South  
Arlington, VA 22204  
Telephone: (703) 979-5700  
Facsimile: (703) 979-7429  
Customer No.: 24203